

6/7

References & Appendices



6. References

- Ahern, J. (2000). Greenways: A planning strategy for integration nature and culture. *Journal of International Landscape Architecture*. 64: 113-120.
- Angold, P.G., Sadler, J.P., Hill, M.O., Pullin, A., Rushton, S., Austin, K., Small, E., Wood, B. Wadsworth, R., Sanderson, R., Thompson, K. (2006). Biodiversity in urban habitat patches. *Science of the Total Environment*. 360: 196-204.
- Barton, H., Grant, M. & Guise, R. (2006). *Shaping Neighbourhoods - a guide for health, sustainability and vitality*, Spon Press, Oxon.
- Barker, G. & Graf, A. (1989). *Principals of nature conservation in towns and cities*. Urban wildlife now, No. 3. Nature Conservancy Council, Peterborough.
- BS:5837 (2005). *Trees in relation to construction - Recommendations*. Standards Policy and Strategy Committee, London.
- Costanza, R., d'Arge, R., de Groot, R., Farber, S., Grasso, M., Hannon, B., Limburg, K., Naeem, S., O'Neill, R. V., Paruelo, J., Raskin, R. G., Sutton, P., and Van der Belt, M. (1997). The value of the world's services and natural capital. *Nature*. 387: 253-260.
- Department of the Environment (1995). *Planning Policy Guidance 2: Green Belts*. Department of the Environment, London.
<http://www.communities.gov.uk/publications/planningandbuilding/planningpolicyguidance>
- Department of the Environment, Heritage and Local Government (1999). *Residential density: Guidelines for Planning Authorities*. Government Publications Office, Dublin. www.pleanala.ie
- Department of the Environment, Heritage and Local Government (2000). *Planning and Development Act*, Government Publications Office, Dublin.
- Department of the Environment, Heritage and Local Government (2000). *Planning leaflet series*. Government Publications Office, Dublin.
- Department of the Environment, Heritage and Local Government (2007). *Development management guidelines*. Government Publications Office, Dublin.
- Department of the Environment, Transport and the Regions (DETR) (2001). *Strategic Gap and Green Wedge Policies in Structure Plans*. www.planning.dtlr.gov.uk/sggwvpsp
- Department of the Environment, Heritage and Local Government (2008). *Urban Design Manual: A best practice guide*. Government Publications Office, Dublin.
- Department of the Environment, Heritage and Local Government (2008). *Sustainable Residential Development in Urban Areas – consultation draft guidelines for local authorities*. Government Publications Office, Dublin.
- Department for Transport (2007). *Manual for Streets*. Thomas Telford Publishing, London.
- Dublin Drainage Consultancy 2005 *Greater Dublin Strategic Drainage Study: Regional Drainage Policies – Volume 2 New Development* http://195.218.114.214/gaeilge/shaping_the_city/environment/drainage_services/greater_dublin_strategic_drainage_study/new_development_policy.asp
- Dún Laoghaire-Rathdown County Council (2000). *Stepaside Action Area Plan*.
- English Partnerships (2007). *Urban Design Compendium Volumes I & II*. Llewelyn-Davies, London.
- European Commission (2004). *EU Research for Sustainable Urban Development and Land Use Sustainable Urban Environment*. Office for Official Publications of the European Communities, Luxembourg.

- European Union Birds Directive, (1979).** Council Directive 79/209/EEC of 2 April 1979 on the conservation of wild birds.
- European Union Habitats Directive, (1992).** Council Directives 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora.
- Fingal County Council (2005).** Hansfield Planning Scheme. Fingal County Council, Dublin.
- Fabos, J. G. (1995).** Introduction and overview: the greenway movement, uses and potentials of greenways. *Landscape and urban planning*. 33: 1-13.
- Fossitt, J.A., (2000).** *A guide to habitats in Ireland*. The Heritage Council, Kilkenny.
- Gaston, K.J. & Spicer, J.I. (2004).** *Biodiversity: An introduction*. Blackwell Publishing, Oxford.
- Girling, S. & Kellett, R. (2005).** *Skinny Streets and Green Neighbourhoods*. Design for environment and community. Island Press, Washington.
- Geddes, P. (1915).** *Cities in Evolution*. Oxford University Press, Oxford.
- Hough, M. (2004).** *Cities & Natural Process: a basis for sustainability*. (2nd edition) Rutledge, Oxen.
- Howard, E. (1902)** *Gardens cities of Tomorrow*. MIT Press, Cambridge.
- IUCN (2004)** *IUCN Red List of Threatened Species*. IUCN, Gland.
- Johnston, J. & Newton, J. (2004).** *Building Green. A guide to using plants on roofs, walls and pavements*. Greater London Authority, London.
- Kaplan, S. (1995).** The restorative effects of nature: towards an integrative framework. *Journal of Environmental Psychology*. 16: 169-182
- Laurie, I.C. (1979).** *Nature in cities: The natural environment in the design and development of urban green space*. John Wiley & Sons, London. (Error in text 1997)
- Leopold, A. (1970).** *A Sand County Almanac*. Sierra Club, San Francisco.
- London Development Agency (2000).** *Design for biodiversity*. London Development Agency, London.
- Millennium Ecosystem Assessment, (2005).** *Ecosystems and human well-being: Biodiversity synthesis*. World Resources Institute, Washington, DC.
- National Urban Forestry Unit (1998).** *Trees matter! The benefits of trees & woods in towns*. National Urban Forestry Unit, Wolverhampton.
- Nairn, R. & Fossitt, J. (2004).** The ecological impacts of roads, and an approach to their assessment for national roads schemes. In: J. Davenport & J.L. Davenport (eds) *The effects of human transport on ecosystems: cars and planes, boats and trains*, 98-114. Royal Irish Academy, Dublin.
- National Roads Authority (2006).** A guide to landscape treatments for national road schemes in Ireland. National Roads Authority, National Roads Authority, Dublin.
- Noss, R. (1995).** *Maintaining ecological integrity in representative reserve networks*. A WWF-Canada/WWF-US Discussion Paper. Toronto.
- Nowak, D.J., Civerolo, K.L., Rao, S.T., Sistla, G., Luley, C.J., Crane, D.E. (2000).** A modelling study of the impact of urban trees on ozone. *Atmospheric Environment*. 34: 1610-1613.
- Nowak, D.J., Crane, D.E. & Stevens, J.C. (2006).** Air removal by urban trees and shrubs in the United States. *Urban Forestry & Urban Greening*. 4: 115-123.

- Pickett, S.T.A, Cadenasso, M.L, Grove, J.M, Nilon, C.H, Pouyat, R.V, Zipperer, W.C, Costanza, R. (2005).** Urban ecological systems: Linking terrestrial ecological, physical, and socioeconomic components of metropolitan areas. *Annual Review of Ecological and Systematics*. 32: 127-157.
- Pickett, S.TA, Cadenasso, M.L, Grove, J.M. (2004).** Resilient cities: meaning, models, and metaphor for integrating the ecological, socio-economic, and planning realms. *Landscape and Urban Planning*. 69: 369-384.
- Ratcliffe, D.A. (1977).** *A nature conservation review: The selection of sites of biological national importance to nature conservation in Britain*. Volumes 2. Cambridge University Press, Cambridge.
- Royal Institute of Architects Ireland (2000).** The New Housing. Royal Institute of Architects Ireland, Dublin.
- Searns, R.M. (1995).** The evolution of greenways as an adaptive urban landscape form. *Landscape and Urban Planning*. 33: 65-80
- South Dublin County Council (2004).** Adamstown Planning Scheme. South Dublin County Council, Dublin.
- South Dublin County Council (2007).** Clonburris Draft Planning Scheme. South Dublin County Council, Dublin.
- Stokes, K., O'Neill, K. & McDonald, R.A. (2004).** *Invasive species in Ireland*. Unpublished report to Environment & Heritage Service and National Parks & Wildlife Service. Quercus, Queens University Belfast, Belfast.
- Stuart, S. (1999).** *Species: Unprecedented extinction rate, and it's increasing*. Special Feature. IUCN, Gland.
- Sundseth, K., Raeymaekers, G. (2006).** *Biodiversity and Natura 2000 in urban areas: Nature in cities across europe: A review of key issues and experiences*. Ecosystems Limited, Brussels.
- Town and Country Planning Association (TCPA) (2004).** *Biodiversity by design*. A guide for sustainable communities. TCPA, London.
- Tzoulas, K & James, P (2005).** *Surrogate measures for Biodiversity and human health and well-being*. 5th International Postgraduate Research Conference in the Built and Human Environment, The Lowry Centre, Salford, 14th – 15th April 2005.
- Tzoulas, K & James, P. (2004).** *Finding links between urban biodiversity and human health and wellbeing*. 4th International Postgraduate Research Conference in the Built and Human Environment, Salford, 29th March – 2nd April 2004.
- Ulrich, R.S., Simons, R.F., Losito, B.D., Fiorito, E., Miles, M.A., and Zelson, M., (1991).** Stress recovery during exposure to natural and urban environments. *Journal of Environmental Psychology*. 11: 201-230.
- UNEP (2007).** *Cities and biodiversity: Engaging Local Authorities during the enhanced phases of the implementation of the Convention on Biological Diversity*. Mayors' Meeting on the Contribution of Cities to the Achievement of the 2010 Biodiversity Target Curitiba, Brazil, 26- 28 March, 2007. UNEP, Brussels.
- Walters, M. (2007).** *Gardens for wildlife*. Aura Books, Bicester.
- Wildlife Act (1976).** Wildlife Act, Ireland, 22 December 1976, No. 39 of 1976
- Wildlife Amendment Act (2000).** Wildlife Amendment Act, Ireland, 18 December 2000, No. 38 of 2000.
- Wilson, Edward O. (1984).** *Biophilia*. Harvard University Press, Cambridge, Boston.

7. Appendices

APPENDIX 1. APPROPRIATE PERIODS FOR FIELD SURVEY

Note that the timings below simply reflect the best timings for general surveys. If particular species are thought or known to be present, however, they may have to be surveyed at a different time (for example some moths can only be surveyed in specific winter months). Some other rare species can be looked for at any time of the year, for example Killarney Fern which, in fact is at its best in January / February.

□ – Best period ■ – Sub-optimal period

SUBJECT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
General habitat surveys	■	■	■	□	□	□	□	□	□	■	■	■
Botanical surveys												
Woodland/scrub			■	□	□	□	□	□	■			
Grassland					□	□	□	■				
Wetlands						□	□	□				
Heath/moor	■	■	■	■	□	□	□	□	■	■	■	■
Dunes/coast				□	□	□	□	□				
Tall herb swamps					□	□	□	□	□			
Mires and bogs					□	□	□	□	□	■		
Marsh				■	□	□	□	□	■			
Saltmarsh					□	□	□	□				
Bryophytes, lichens	■	■	□	□	□	□	□	□	□	□	■	■
Fungi									□	□	□	
Zoological surveys												
Birds: breeding			□	□	□	□						
Birds: wintering (general)	□	□	■	■					■	■	□	□
Water birds: wintering	□	□	■	■					■	■	□	□
Terrestrial mammals	□	□	□	■	■	■	■	■	□	□	□	□
Bats: breeding roosts				□	□	□	□	□	□			
Bats: winter roosts	□	□	□								□	□
Amphibians: breeding		□	□	□	□	□						
Fish: Salmonid spawning	□	□	■								■	□
Salmonid stocks							□	□	□			
Fish: Lamprey spawning			□	□	□	□	□	□				
Fish: Coarse fish stocks							□	□	□			
Fish: Shad spawning				□	□	□	□					
Insects: Butterflies & moths*	□	□	□	□	□	□	□	□	□	□	□	□
Insects: Dragonflies					■	□	□	□	■			
Insects: Hoverflies					□	□	□	□	□			
Insects: Beetles				□	□	□	□	□	□			
Insects: Grasshoppers								□	□			
Spiders and allies			□	□		□	□		□	□		
Molluscs				□	□	□	■	■	□	□		
Freshwater invertebrates	■	■	■	■	■	□	□	□	□	■	■	■

* - NB main flight time for butterflies is April – September, but moths may need to be surveyed in any month of the year, depending on the species.

Source - adapted from NRA (undated) Guidelines for Assessment of Ecological Impacts of National Road Schemes.

APPENDIX 2. SITE EVALUATION SCHEME

RATING	CRITERIA FOR ASSESSING ECOLOGICAL IMPORTANCE OF SITES
A	<p>Internationally important</p> <p>Sites designated (or qualifying for designation) as SAC₁ or SPA₂ under the EU Habitats or Birds Directives.</p> <p>Undesignated sites containing good examples of Annex I <i>priority</i> habitats under the EU Habitats Directive.</p> <p>Major salmon river fisheries.</p> <p>Major salmonid lake fisheries.</p>
B	<p>Nationally important</p> <p>Sites or waters designated or proposed as an NHA₃ or statutory Nature Reserves.</p> <p>Undesignated sites containing good examples of Annex I habitats (under EU Habitats Directive).</p> <p>Undesignated sites containing <i>significant populations</i> of Annex II species under the EU Habitats Directive or Annex I species under the EU Birds Directive or species protected under the Wildlife (Amendment) Act 2000.</p> <p>Major trout river fisheries.</p> <p>Waters with major amenity fishery value.</p> <p>Commercially important coarse fisheries.</p>
C	<p>High value, locally important</p> <p>Sites containing semi-natural habitat types with high biodiversity in a local context and a high degree of naturalness, or significant populations of locally rare species.</p> <p>Small water bodies with known salmonid populations or with good potential salmonid habitat.</p> <p>Sites containing <i>any</i> listed Annex II species under the EU Habitats Directive or Annex I species under the EU Birds Directive.</p> <p>Large water bodies with some coarse fisheries value.</p>
D	<p>Moderate value, locally important</p> <p>Sites containing some semi-natural habitat or locally important for wildlife.</p> <p>Small water bodies with some coarse fisheries value or some potential salmonid habitat.</p> <p>Any stream with an unpolluted Q-value rating.</p>
E	<p>Low value, locally important</p> <p>Artificial or highly modified habitats with low species diversity and low wildlife value.</p> <p>Water bodies with no current fisheries value and no significant potential fisheries value.</p>

SAC₁ = Special Area of Conservation, SPA₂ = Special Protection Area, NHA₃ = Natural Heritage Area

APPENDIX 3. CRITERIA FOR ASSESSING IMPACT SIGNIFICANCE: Terrestrial Sites

Site category* Impact level	A sites Internationally important	B sites Nationally important	C sites High value, locally important	D sites Moderate value, locally important	E sites Low value, locally important
Severe negative	Any permanent impacts	Permanent impacts on a large part of a site			
Major negative	Temporary impacts on a large part of a site	Permanent impacts on a small part of a site	Permanent impacts on a large part of a site		
Moderate negative	Temporary impacts on a small part of a site	Temporary impacts on a large part of a site	Permanent impacts on a small part of a site	Permanent impacts on a large part of a site	
Minor negative		Temporary impacts on a small part of a site	Temporary impacts on a large part of a site	Permanent impacts on a small part of a site	Permanent impacts on a large part of a site
Neutral	No impacts	No impacts	No impacts	No impacts	Permanent impacts on a small part of a site
Minor positive				Permanent beneficial impacts on a small part of a site	Permanent beneficial impacts on a large part of a site
Moderate positive			Permanent beneficial impacts on a small part of a site	Permanent beneficial impacts on a large part of a site	
Major positive		Permanent beneficial impacts on a small part of a site	Permanent beneficial impacts on a large part of a site		

* Site categories A to E are defined in Appendix 2.

APPENDIX 4. CRITERIA FOR ASSESSING IMPACT SIGNIFICANCE: Aquatic Sites

A Sites

	TEMPORARY	SHORT-TERM	MEDIUM-TERM	LONG-TERM
EXTENSIVE	Major	Severe	Severe	Severe
LOCALISED	Major	Major	Severe	Severe

B Sites

	TEMPORARY	SHORT-TERM	MEDIUM-TERM	LONG-TERM
EXTENSIVE	Major	Major	Severe	Severe
LOCALISED	Moderate	Moderate	Major	Major

C Sites

	TEMPORARY	SHORT-TERM	MEDIUM-TERM	LONG-TERM
EXTENSIVE	Moderate	Moderate	Major	Major
LOCALISED	Minor	Moderate	Moderate	Moderate

D Sites

	TEMPORARY	SHORT-TERM	MEDIUM-TERM	LONG-TERM
EXTENSIVE	Minor	Minor	Moderate	Moderate
LOCALISED	Not significant	Minor	Minor	Minor

E Sites

	TEMPORARY	SHORT-TERM	MEDIUM-TERM	LONG-TERM
EXTENSIVE	Not significant	Not significant	Minor	Minor
LOCALISED	Not significant	Not significant	Not significant	Not significant

In line with the EPA guidelines (EPA 2002), the following terms are defined when quantifying duration:

- Temporary: up to 1 year
- Short-term: from 1-7 years
- Medium-term: 7-15 years
- Long-term: 15-60 years
- Permanent: over 60 years

Localised impacts on rivers are loosely defined as impacts measurable no more than 250m from the impact source. Extensive impacts on rivers are defined as impacts measurable more than 250m from the impact source. Any impact on salmonid spawning habitat, or nursery habitat where it is in short supply, would be regarded as an extensive impact as it is likely to have an impact on the salmonid population beyond the immediate vicinity of the impact source.

* Site categories A to E are defined in Appendix 2.

APPENDIX 5. APPROPRIATE TREES AND SHRUBS FOR PLANTING SCHEMES

Common name	Latin name	Height (max) spaces	Suitable for public open confined spaces	Suitable for streets and	Suitable for tubs, containers, raised beds etc.	Guide to planting: see key below
Alder	<i>Alnus Glutinosa</i>	22m	Yes	No	Yes	ADPS
Alder buckthorn	<i>Frangula alnus</i>	6m	Yes	No	Yes	D Restricted distribution Not commonly available
Arbutus (strawberry tree)	<i>Arbutus unedo</i>	8m	Yes	No	Yes	Not frost hardy
Ash	<i>Fraxinus excelsior</i>	28m	Yes	No	No	ADIPS
Aspen	<i>Populus tremula</i>	24m	Yes	No	No	DPSV Not close to buildings or any services
Bramble	<i>Rubus fruticosus</i>	2m	No	No	No	C/H note: tends to be invasive
Broom	<i>Cytisus scoparius</i>	2m	Yes	No	Yes	*
Burnet rose	<i>Rosa pimpinel lifolia</i>	2m	Yes	No	Yes, but vigorous	C/H Restricted distribution. Not commonly available
Common (or European) gorse	<i>Ulex europeaus</i>	2.5m	Yes	No	In a rural setting	HV
Crab apple	<i>Malus sylvestris</i>	6m	Yes	No	No	AHIP
Dog rose	<i>Rosa canina</i>	2m	Yes	No	Yes. Vigorous	C/H
Downy birch	<i>Betula pubescens</i>	18m	Yes	Yes	Yes	ADIP
Elder	<i>Sambucus nigra</i>	6m	In hedge	No	No	V
Guelder rose	<i>Viburnum opulus</i>	4.5m	Yes	No	No	DH
Hawthorn	<i>Crataegus monogyna</i>	9m	Yes	Yes	Yes	AHIPS
Hazel	<i>Corylus avellana</i>	6m	Yes	No	No	AHS
Holly	<i>Ilex aquifolium</i>	15m	Yes	Yes	Yes	AHPS
Honeysuckle	<i>Lonicera periclyrnenum</i>	Climber	Yes	On walls	No	C
Ivy	<i>Hedera helix</i>	Climber	Yes	Yes	Yes	C
Juniper	<i>Juniperus communis</i>	6m	Yes	No	No	S
Pedunculate Oak	<i>Quercus robur</i>	30m	Yes	No	No	AI only suitable for large spaces
Privet	<i>Ligustrum vulgare</i>	3m	Yes	Yes	Yes	No
Rowan or mountain ash	<i>Sorbus aucuparia</i>	9m	Yes	Yes	Yes	ADHIP
Scots pine	<i>Pinus sylvestris</i>	24m	Yes	No	No	AI
Sessile oak	<i>Quercus petraea</i>	30m	Yes	No	No	AI only suitable for large spaces
Silver birch	<i>Betula pendula</i>	18m	Yes	Yes	Yes	ADIP
Sloe, blackthorn	<i>Prunus spinosa</i>	3m	Yes	No	No	AHPV
Spindle	<i>Euonymous europaeus</i>	7,5m	Yes	No	No	H
Western (or mountain) gorse	<i>Ulex gallii</i>	1,5m	Yes	No	Yes	*Restricted distribution Not commonly available
Whitebeam spp.	<i>Sorbus aria</i>	12,	Yes	Yes	Yes	IPS
Wild cherry	<i>Prunus avium</i>	15m	Yes	Yes	Yes	AHI
Willow spp.	<i>Salix spp.</i>	6m	Some	No	No	V Not suitable near buildings or services
Wych elm	<i>Ulmus glabra</i>	30m	Yes		No	PS
Yew	<i>Taxus baccata</i>	14m	Yes	No	Yes	AIPS

A - Grows in a wide variety of soils, C - Climber, H - Suitable for hedging, I - Suitable as an individual tree, D - Tolerates or prefers damp conditions, P - Tolerates smoke or pollution, S - Tolerates shade, V - Invasive, * - Tolerates dry conditions

UCD Urban Institute Ireland, Dún Laoghaire-Rathdown County Council & Fingal County Council
Prepared by NATURA Environmental Consultants in association with David O'Connor, Planning Consultant

This publication is printed on FSC certified paper

